

	Type	Hits	Search Text	DBs
1	BRS	3	(network with manage with portal) and @ad<20010430 and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	3	(network with manage with portal) and @ad<20010430 and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	659	(portal and @ad<20010430) and (user adj (preferences or customiz\$5 or specification or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	53	((portal and @ad<20010430) and (user adj (preferences or customiz\$5 or specification or profile))) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	1	((((portal and @ad<20010430) and (user adj (preferences or customiz\$5 or specification or profile))) and 345.clas.) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	78	345/736.ccls. and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	19	(345/736.ccls. and @ad<20010430) and manage\$5 adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	5	((345/736.ccls. and @ad<20010430) and manage\$5 adj network) and (user adj (preference or customiz\$5 or specification or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	66839	network with manage\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	4016	(network with manage\$5) and (user adj (preference or customiz\$5 or profile or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	BRS	242	((network with manage\$5) and (user adj (preference or customiz\$5 or profile or setting))) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	29	((((network with manage\$5) and (user adj (preference or customiz\$5 or profile or setting))) and 345.clas.) and portal	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	24784	network adj2 manage\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	BRS	1467	(network adj2 manage\$5) and (user adj (preference or customiz\$5 or profile or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	BRS	19015	network adj manage\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	BRS	976	(network adj manage\$5) and (user adj (preference or customiz\$5 or profile or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	597	((network adj manage\$5) and (user adj (preference or customiz\$5 or profile or setting))) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	35	((((network adj manage\$5) and (user adj (preference or customiz\$5 or profile or setting))) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	BRS	8270	(network adj2 manage\$5).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	6318	((network adj2 manage\$5).ab.ti.) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
21	BRS	45	((network adj2 manage\$5).ab.ti.) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	BRS	28	((network adj2 manage\$5).ab.ti.) and @ad<20010430) and 345.clas.) and (preference or customiz\$5 or profile or setting)	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	2	20020091753.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	9	log\$4 adj (in or on) with manage\$4 with network	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	BRS	4	(log\$4 adj (in or on) with manage\$4 with network) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	BRS	9	(log\$4 adj (in or on)) with manage\$4 with network	USPAT; US-PGPUB; EPO; JPO; DERWENT
27	BRS	207	authenticate with manage\$4 with network	USPAT; US-PGPUB; EPO; JPO; DERWENT
28	BRS	103	(authenticate with manage\$4 with network) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	BRS	0	((authenticate with manage\$4 with network) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT
30	BRS	17	((authenticate with manage\$4 with network) and @ad<20010430) and authorize	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	BRS	44	5958012.URPN.	USPAT
32	BRS	0	5958012.URPN. and (log\$4 adj (in or on))	USPAT
33	BRS	13	5958012.URPN. and authenticate	USPAT
34	BRS	25	("5394523" "5428722" "5428744" "5455599" "5465362" "5479589" "5517606" "5519818" "5522025" "5544301" "5555368" "5574843" "5621434" "5634129" "5675752" "5706456" "5802530" "5805166" "5828376" "5867162" "5958012" "5978043" "5986652" "5995933" "6014138").PN.	USPAT
35	BRS	372	((group or class) adj user) with profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	155	((group or class) adj user) with profile) and (network with manage\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	74	((group or class) adj user) with profile) and (network with manage\$5)) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	2	((group or class) adj user) with profile) and (network with manage\$5)) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	4235827	((group or class) adj user) with profile) and (network with manage\$5)) and @ad<20010430) and display or view or window	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	68	((group or class) adj user) with profile) and (network with manage\$5)) and @ad<20010430) and (display or view or window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
41	BRS	63	(((((group or class) adj user) with profile) and (network with manage\$5)) and @ad<20010430) and (display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	165	user adj member adj group	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	86	(user adj member adj group) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	2	((user adj member adj group) and @ad<20010430) and (manage\$5 adj network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	5	((user adj member adj group) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	2	6275225.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT
47	BRS	0	.dtd and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT
48	BRS	0	".dtd" and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT
49	BRS	0	.dtd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	17	"document type descriptor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	11	"document type descriptor" and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	282	profile with xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	78	(profile with xml) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	4389134	((profile with xml) and @ad<20010430) and file type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	2	((profile with xml) and @ad<20010430) and "file type"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB